SIP-05 www.soncci.com

5.7" Android Industrial Rugged Handheld Terminal Handheld



Product Introduction

SIP-05 handheld terminal has a 5.7-inch screen, Android 11.0 operating system, equipped with MTK MT6762 processor, rear 13 million pixel camera, the whole machine reaches IP68 waterproof and dustproof level, supports Beidou/GPS navigation, optional 2D barcode scanning and NFC function. It can be used in a variety of industries, including barcode scanning and payment in retail and location information capture in logistics, and its robust performance and rich functionality make it ideal for mobile work.

Key features:

System & Performance

Equipped with Android 11.0 operating system and built-in MTK MT6762 octa-core processor, you can experience a smooth sense of use whether it is daily operation or multitasking, and you can choose 4GB+64GB or higher configuration 6GB+128GB, which can flexibly meet different needs.

Display & Touch

Equipped with a 5.7-inch 720×1520 resolution display, 350 nits of brightness for an extremely clear visual experience, 10-point touch capability to enhance the user interactive experience, and support for capacitive pen to make creativity come to life at any time.

Camera function

The 13-megapixel camera on the rear and the 5-megapixel camera on the front are paired with a flash, so you can bring crisp and vivid results whether you take photos or make video calls.

Large battery

The 4000mAh battery capacity ensures long use without the need for frequent recharging. Its durability design supports working environments from -15 °C to 55 °C, making it suitable for use in a wide range of environments.

Network & Connectivity

It supports 4G LTE, 3G WCDMA and GSM networks to meet the communication needs in an all-round way, and has a variety of positioning capabilities, including Beidou, GPS and GLONASS. At the same time, the 802.11a/b/g/n/ac wireless network adapter also supports dual-band WIFI connection, which improves the stability of Internet speed.

Durable design

It has an IP68 rating and MIL-STD-810G certification, which means it's highly resistant to water and dust, and can withstand a drop of up to 1.5 meters. In addition, the housing material is made of ABS/PC, which is not only robust and durable, but also contributes to the overall quality feeling.

Dimensional interfaces



SIP-05 www.soncci.com

Specifications

System C P U MTK MT6762, 8-core Memory storage 4GB+64GB (optional 6GB+128GB) Screen display 5.7 inches, 720×1520 resolution, 350 nits of brightness touch screen 10-point touch, capacitive pen support Image Camera 5 million pixels on the front and 13 million pixels on the rear with flash Horns loudspeaker 1.5W Continuation Continuation Networking 4G LTE, 3G WCDMA, 2G GSM 4G TDD_LTE: B1/B2/B3/B4/B5/B8/B20/B38/B39/B40/B41 3G WCDMA: B1/B2/B4/B5/B8 Wireless 2G GSM/EDGE: B2/B3/B5/B8 Communications Navigation and positioning WIFI 802.11a/b/g/n/ac Wireless Internet, Wireless AP, Mobile AP 2.4G/5GDual-band Bluetooth Bluetooth Bluetooth 40 SIM+SIM or SIM+TF	
screen display 5.7 inches, 720×1520 resolution, 350 nits of brightness touch screen 10-point touch, capacitive pen support Image Camera 5 million pixels on the front and 13 million pixels on the rear with flash Horns loudspeaker 1.5W Continuation the rear with flash Author than the rear with flash Loudspeaker 4000mAh/voltage 3.8V charger 5V 2A Networking 4G LTE, 3G WCDMA, 2G GSM 4G TDD_LTE: B1/B2/B3/B4/B5/B7/B8/B20/B38/B39/B40/B41 3G WCDMA: B1/B2/B4/B5/B8 Wireless 2G GSM/EDGE: B2/B3/B5/B8 Communications Navigation and positioning WIFI 802.11a/b/g/n/ac Wireless Internet, Wireless AP, Mobile AP 2.4G/5GDual-band Bluetooth 40	
screen display 5.7 inches, 720×1520 resolution, 350 nits of brightness touch screen 10-point touch, capacitive pen support Image Camera 5 million pixels on the front and 13 million pixels on the rear with flash Horns loudspeaker 1.5W Continuation the rear with flash Author than the rear with flash Loudspeaker 4000mAh/voltage 3.8V charger 5V 2A Networking 4G LTE, 3G WCDMA, 2G GSM 4G TDD_LTE: B1/B2/B3/B4/B5/B7/B8/B20/B38/B39/B40/B41 3G WCDMA: B1/B2/B4/B5/B8 Wireless 2G GSM/EDGE: B2/B3/B5/B8 Communications Navigation and positioning WIFI 802.11a/b/g/n/ac Wireless Internet, Wireless AP, Mobile AP 2.4G/5GDual-band Bluetooth 40	
touch screen 10-point touch, capacitive pen support Image Camera 5 million pixels on the front and 13 million pixels on the rear with flash Horns loudspeaker 1.5W Continuation that ger 5V 2A Networking 4G LTE, 3G WCDMA, 2G GSM 4G TDD_LTE: B1/B2/B3/B4/B5/B7/B8/B20/B38/B39/B40/B41 3G WCDMA: B1/B2/B4/B5/B8 Wireless 2G GSM/EDGE: B2/B3/B5/B8 communications Navigation and positioning Beidou BDS, GPS, GLONASS WIFI 802.11a/b/g/n/ac Wireless Internet, Wireless AP, Mobile AP 2.4G/5GDual-band Bluetooth 40	
Horns loudspeaker 1.5W Continuation loudspeaker 4000mAh/voltage 3.8V charger 5V 2A Networking 4G LTE, 3G WCDMA, 2G GSM 4G TDD_LTE: B1/B2/B3/B4/B5/B7/B8/B20/B38/B39/B40/B41 3G WCDMA: B1/B2/B4/B5/B8 Wireless 2G GSM/EDGE: B2/B3/B5/B8 communications Navigation and positioning Beidou BDS, GPS, GLONASS WIFI 802.11a/b/g/n/ac Wireless Internet, Wireless AP, Mobile AP 2.4G/5GDual-band Bluetooth 40	
Continuationloudspeaker4000mAh/voltage 3.8Vcharger5V 2ANetworking4G LTE, 3G WCDMA, 2G GSM4GTDD_LTE: B1/B2/B3/B4/B5/B7/B8/B20/B38/B39/B40/B413GWCDMA: B1/B2/B4/B5/B8Wireless2GGSM/EDGE: B2/B3/B5/B8CommunicationsNavigation and positioningBeidou BDS, GPS, GLONASSWIFI802.11a/b/g/n/ac Wireless Internet, Wireless AP, Mobile AP 2.4G/5GDual-band Bluetooth 40	
Continuation charger 5V 2A Networking 4G LTE, 3G WCDMA, 2G GSM 4G TDD_LTE: B1/B2/B3/B4/B5/B7/B8/B20/B38/B39/B40/B41 3G WCDMA: B1/B2/B4/B5/B8 Wireless 2G GSM/EDGE: B2/B3/B5/B8 communications Navigation and positioning WIFI 802.11a/b/g/n/ac Wireless Internet, Wireless AP, Mobile AP 2.4G/5GDual-band Bluetooth 40	
charger 5V 2A Networking 4G LTE, 3G WCDMA, 2G GSM 4G TDD_LTE: B1/B2/B3/B4/B5/B7/B8/B20/B38/B39/B40/B41 3G WCDMA: B1/B2/B4/B5/B8 Wireless 2G GSM/EDGE: B2/B3/B5/B8 communications Navigation and positioning Beidou BDS, GPS, GLONASS WIFI 802.11a/b/g/n/ac Wireless Internet, Wireless AP, Mobile AP 2.4G/5GDual-band Bluetooth 40	
4G TDD_LTE: B1/B2/B3/B4/B5/B7/B8/B20/B38/B39/B40/B41 3G WCDMA: B1/B2/B4/B5/B8 Wireless 2G GSM/EDGE: B2/B3/B5/B8 communications Navigation and positioning Beidou BDS, GPS, GLONASS WIFI 802.11a/b/g/n/ac Wireless Internet, Wireless AP, Mobile AP 2.4G/5GDual-band Bluetooth 40	
Wireless 2G GSM/EDGE: B2/B3/B5/B8 Communications Navigation and positioning WIFI 802.11a/b/g/n/ac Wireless Internet, Wireless AP, Mobile AP 2.4G/5GDual-band Bluetooth 40	
Wireless 2G GSM/EDGE: B2/B3/B5/B8 Communications Navigation and positioning WIFI 802.11a/b/g/n/ac Wireless Internet, Wireless AP, Mobile AP 2.4G/5GDual-band Bluetooth 40	
communications Navigation and positioning WIFI 802.11a/b/g/n/ac Wireless Internet, Wireless AP, Mobile AP 2.4G/5GDual-band Bluetooth Bluetooth 40	
positioning WIFI 802.11a/b/g/n/ac Wireless Internet, Wireless AP, Mobile AP 2.4G/5GDual-band Bluetooth Bluetooth 40	
WIFI 802.11a/b/g/n/ac Wireless Internet, Wireless AP, Mobile AP 2.4G/5GDual-band Bluetooth Bluetooth 40	
Card slots SIM+SIM or SIM+TF	
I/O interface Type-C 1×Type-C, OTG	
pogo pin Bottom 4in	
Press the key Button function Volume Vol+/Vol-, Switch POWER, Scan SCAN, Emergency SOS, Custom Buttons	
Under-display ambient light sensor Compass Barometric pressure sensor Gravi	ty
sensor Responses sensor Distance sensor	
NFC None (optional 13.56 MHz, distance 7-15mm)	
2D barcode scanning None (optional NLS-N1)	
Data acquisition UHF Radio Frequency None (optional external M500, distance 3-6m) Identification	
High-precision GPS None (optional UM960/TU101)	
Picture BMP, JPG, GIF, PNG	
multimedia Video MEPG 1/2/4,H.263/H.264,RMVB,WMV/VC-1,MVC,AVS,MJPEG (UP TO 1080P)	
Audio MP3,WMA,WAV,OGG,FLAC,ALAC,APE,AAC,AC-3,DTS	
Outer shell ABS/PC material, black	
Structure Size Product 155×77.7×13.3mm	
Weight Net weight 0.25kg	
Ingress protection IP68 waterproof and dustproof	
reliability Drop height 1.5m drop resistant	
Certification MIL-STD-810G, IP68	
Working environment $-15 ^{\circ}\text{C} \sim 55 ^{\circ}\text{C}$	
Environment -30 °C ~ 60 °C	
Humidity 5%~95% non-condensing	

SIP-05 www.soncci.com

Ordering Information

Model	Touch	size	resolution	CPU	storage	Camera	battery	Type-C
SIP-05 (MT6762)	Capacitive Screen	5.7 "	720×1520	MT6762	4G+64G	5MP+13MP	4000mAh	1

Configuration upgrade

name	remark	remark
memory	8G / 16G	Optional
hard disk	256G / 512G / 1TB	Optional
Data acquisition	Barcode scanning / UHF radio frequency identification / high-precision GPS	Optional

Accessories list

name	remark	quantity	remark
Packing box packaging	Product packaging	1	Standard
Charger	5V 2A	1	Standard
Pick up the pin	SIM card pick-up tool		Standard
Warranty card l	Soncci logo / neutral	1	Optional
Certificate of Conformity	Soncci logo / neutral	1	Optional